

Table of Contents

Groups A + B



Pilot® Sport Cup	3
Pilot® Sport PS2™	3
Pilot® Sport	4
Pilot® Sport A/S	4
Pilot® Exalto® A/S	5
Pilot® Exalto® PE2™	5
Pilot® XGT® Z4	5
Pilot® Primacy™	5
Pilot® MXM™	6
Energy™ MXV4® S8	6
Pilot® MXM4™	6
Energy™ MXV4® Plus	7
Energy™ MXV4®	7
Energy™ LX4®	7
HydroEdge®	7
Harmony®	8
MX4™	8
Symmetry®	8
Pilot® Alpin® PA2™	8
X-Ice™	9
Latitude™ Alpin® HP	9
Latitude™ X-Ice™	9
Cross Terrain® SUV	10
LTX® M/S	10
LTX® A/T	11
LTX® A/S	11
4x4 Synchrone®	11
4x4 Diamaris®	11
Pilot® LTX®	11
Latitude™ Tour HP	12
4x4 XPC™	12
XPS Rib®	12
XPS Traction®	12
Agilis®	12




g-Force T/S® Drag Radial	13
g-Force T/A® KO	13
g-Force T/A® KDW	14
g-Force T/A® KDWs	15
g-Force™ Sport	15
Traction T/A®	15
Radial T/A®	16
Control PLUSTM	16
Radial Long Trail T/A®	17
Open Trail T/A®	17
Rugged Trail T/A®	17
All-Terrain T/A® KO	18
Mud-Terrain T/A® KM	18
Baja T/A®	19
Krawler T/A™ KX	19
Commercial T/A® All Season	19
Commercial T/A® Traction	19
Comp T/A® VR4	19



Tiger Paw® Touring	20
Tiger Paw® AWP	20
Tiger Paw® AS-6000	20
Tiger Paw® GTS	20
Laredo® Cross Country	21
Laredo® All Season AWP	21
Laredo® AWR	21
Laredo® AWT	22
Laredo® HD/H™	22
Laredo® HD/T™	22

**MICHELIN**


Effective February 1, 2006

**X-Ice™**

This tire features a generation of winter rubber compounds that helps passenger cars and minivans achieve predictable grip and performance in challenging winter driving conditions.

MSPN	Size	Service Desc.	Sidewall	2006 Govt. Base Price	2006 F.F.T.
------	------	---------------	----------	-----------------------	-------------


49348	155/80R13	79Q	BSW	75.00	
68596	175/70R13	82Q	BSW	104.12	
40918	175/65R14	82Q	BSW	119.31	
91476	175/70R14	84Q	BSW	111.89	
73797	185/60R14	82Q	BSW	124.76	
45200	185/65R14	86Q	BSW	125.39	
50515	185/70R14	88Q	BSW	117.78	
96206	P185/75R14	89Q	BSW	105.83	
42050	195/60R14	86Q	BSW	130.19	
90291	195/65R14	89Q	BSW	131.49	
82087	195/70R14	91Q	BSW	122.90	
89780	P195/75R14	92Q	BSW	110.96	
76593	205/70R14	95Q	BSW	128.02	
72047	P205/75R14	95Q	BSW	120.16	
99956	185/60R15	84Q	BSW	131.00	
70957	185/65R15	88Q	BSW	131.45	
95763	195/55R15	85Q	BSW	152.37	
56501	195/60R15	88Q	BSW	139.22	
83988	195/65R15	91Q	BSW	139.28	
43672	205/60R15	91Q	BSW	144.64	
56209	205/65R15	94Q	BSW	145.41	
85087	205/70R15	96Q	BSW	133.14	
88567	P205/75R15	97Q	BSW	127.15	
49626	215/60R15	94Q	BSW	153.69	
96338	215/65R15	96Q	BSW	152.33	
51643	215/70R15	98Q	BSW	138.26	
95039	195/55R16	87Q	BSW	175.00	
95989	205/50R16	87Q	BSW	188.12	
93113	205/55R16	91Q	BSW	184.55	
52780	205/60R16	92Q	BSW	157.30	
99278	205/65R16	95Q	BSW	159.12	
49340	215/55R16/XL	97Q	BSW	212.21	
78898	215/60R16	95Q	BSW	164.54	
42680	215/65R16	98Q	BSW	153.69	
83138	225/50R16	92Q	BSW	204.31	
99961	225/55R16	95Q	BSW	200.71	
65855	225/60R16	98Q	BSW	173.58	
89046	235/60R16	100Q	BSW	182.62	
55947	215/60R17	96Q	BSW	173.67	
58819	225/55R17	97Q	BSW	207.93	
85854	235/55R17	99Q	BSW	218.32	

**Latitude™ Alpin® HP**

The unmatched performance of the Pilot® Alpin® family is now available for Sport Utility Vehicles (SUVs). With "H" and "V" speed ratings, the Latitude™ Alpin® HP is the solution for driving high performance luxury SUVs on winter road conditions.

MSPN	Size	Service Desc.	Sidewall	2006 Govt. Base Price	2006 F.F.T.
------	------	---------------	----------	-----------------------	-------------

80541	235/55R17	99H, BMW	RRBL	310.41
83821	235/65R17/XL	108H	RRBL	279.38
43926	255/55R18/XL	109V	RRBL	388.01

**Latitude™ X-Ice™**

The Michelin® Latitude™ X-Ice™ features a generation of winter rubber compounds that help deliver predictable grip and performance in challenging winter driving conditions. It is designed specifically for light trucks and SUVs.


MSPN	Size	Service Desc.	Sidewall	2006 Govt. Base Price	2006 F.F.T.
------	------	---------------	----------	-----------------------	-------------

99885	P215/75R15	100Q	BW	160.27
72848	225/70R15	100Q	BW	160.20
88742	235/70R15	103Q	BW	168.63
90881	P235/75R15/XL	108Q	BW	182.13
20308	265/70R15	112Q	BW	188.27
62106	215/70R16	100Q	BW	171.48
94719	225/70R16	102Q	BW	176.29
59713	235/70R16	106Q	BW	181.53
90654	245/70R16	107Q	BW	192.63
28707	255/65R16	109Q	BW	213.51
83115	255/70R16	111Q	BW	203.35
83776	265/70R16	112Q	BW	209.92
18977	275/70R16	114Q	BW	220.42
05329	215/65R17	99Q	BW	182.47
36153	235/65R17	104Q	BW	202.19
89809	245/65R17	107Q	BW	214.21
09067	245/70R17	110Q	BW	207.30
08548	255/70R17	112Q	BW	213.51
37653	265/65R17	112Q	BW	230.92
15380	265/70R17	115Q	BW	220.42



MICHELIN

Effective February 1, 2006




Latitude™ Tour HP

Michelin® Latitude™ Tour HP tires let consumers experience the full potential of their SUV or crossover vehicle, offering the highest possible level of ride and handling without compromising all-season traction.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------

30475	235/65R17	104H	RBL	251.46	
21491	235/65R17	104V	RBL	264.68	
65276	255/55R18	105H	RBL	335.26	
11683	255/55R18	105V	RBL	359.58	
06215	255/50R19/XL	107V	RBL	390.14	



4x4 XPC™

Michelin® 4x4 XPC™ tires offer both on- and off-road capabilities, thanks to excellent performance in winter conditions and mud.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------

61892	235/70R16	105H	RBL	311.28	
76846	255/65R16	109H	RBL	330.02	



XPS Rib®

Michelin® XPS Rib® tires are the best value per mile in the Michelin commercial tire lineup, because of low-rolling resistance, a long-wear rib tread design and retreadability.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------

39510	LT215/85R16/E	115/112Q LRE	BW	301.73	
08404	LT225/75R16/E	115/112Q LRE	BW	303.52	
13080	LT235/85R16/E	120/116Q LRE	BW	314.79	
26848	LT245/75R16/E	120/116Q LRE	BW	315.67	
10818	7.50R16/D	112/107Q LRD	BW	284.77	
03530	9.50R16.5/E	121/117Q BSW		332.85	



XPS Traction®

Thanks to their rugged lug tread design, Michelin® XPS Traction® tires help provide exceptional traction, especially in mud. They're a smart, economical tire choice.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------

35260	LT215/85R16/E	115/112Q LRE	BW	325.94	
36496	LT235/85R16/E	120/116Q LRE	BW	340.02	




Agilis®

Michelin® Agilis® tires provide good traction in both wet and dry conditions. They offer long tread life and a quiet ride for light van commercial applications.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------

91666	185R14/C	102/100R	RBL	173.71	
83708	205/65R15C	102/100T	RBL	183.10	




g-Force T/A® Drag Radial

The drive-to-the-track-and-back street-legal radial tire that has set import and domestic world records for street legal drag racing. In front-wheel-drive and rear-wheel-drive sizes.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------

85154	P205/50R14			170.80	
95526	P215/60R14			163.57	
51491	P225/45R14			199.69	
98003	P205/50R15			181.86	
49256	P225/50R15			189.59	
54003	235/60R15			213.62	
82648	P275/50R15			220.99	
54462	P275/60R15			223.89	
84043	P295/65R15			268.92	
92364	P315/60R15			268.92	
53931	P325/50R15			255.44	
87918	P345/55R15			295.78	
82116	P255/50R16			228.37	
54317	P205/40R17			208.86	
54458	P225/45R17			218.00	
74184	P275/40R17/LL			250.47	
88842	P315/35R17/LL			257.82	
86277	P245/40R18/LL			277.35	
58620	P265/40R18/LL			307.37	
89451	P275/35R18/LL			340.56	
97220	P295/35R18/LL			377.36	
82627	P315/30R18/LL			440.13	
64150	P345/30R18/LL			513.36	




g-Force T/A®

Track-ready ultra high performance tire with near race-level grip. Multi-time magazine showdown winner. The highest dry cornering mark (1.08g) one leading testing organization has ever recorded for a full tread depth street-legal tire*.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
------	------	---------------	----------	----------------------	-------------


59612	205/50ZR15	86Y	BSW	212.83	
62462	205/50ZR15	86Y	BSW	212.83	
72235	225/50ZR15	91Y	BSW	232.18	
73142	225/50ZR15	91Y	BSW	232.18	
41369	205/55ZR16	89Y	BSW	221.44	
45551	205/55ZR16	89Y	BSW	221.44	
40970	225/50ZR16	92Y	BSW	267.63	
97649	225/50ZR16	92Y	BSW	267.63	
51281	205/40ZR17	80Y	BSW	305.88	
84058	205/40ZR17	80Y	BSW	305.88	
77067	205/50ZR17	89Y	BSW	255.81	
69116	205/50ZR17	89Y	BSW	255.81	
80786	225/45ZR17	90Y	BSW	275.70	
47198	225/45ZR17	90Y	BSW	275.70	
41292	245/40ZR17	91Y	BSW	315.67	
85330	245/40ZR17	91Y	BSW	315.67	
84805	245/45ZR17	95Y	BSW	345.93	
49823	245/45ZR17	95Y	BSW	345.93	
52212	255/40ZR17	94Y	BSW	361.13	
78049	255/40ZR17	94Y	BSW	361.13	
69380	275/40ZR17	98Y	BSW	394.88	
51992	275/40ZR17	98Y	BSW	394.88	
51197	315/35ZR17	102Y	BSW	414.51	
55173	315/35ZR17	102Y	BSW	414.51	
89089	225/40ZR18	88Y	BSW	319.34	
47378	225/40ZR18	88Y	BSW	319.34	
55084	245/40ZR18	93Y	BSW	357.38	
72040	245/40ZR18	93Y	BSW	357.38	
64630	265/35ZR18	93Y	BSW	425.40	
68154	265/35ZR18	93Y	BSW	425.40	
90023	265/40ZR18	97Y	BSW	367.83	
98976	265/40ZR18	97Y	BSW	367.83	
79085	275/40ZR18	99Y	BSW	386.21	
61653	275/40ZR18	99Y	BSW	386.21	
81776	285/30ZR18	93Y	BSW	458.65	
40122	285/30ZR18	93Y	BSW	458.65	
75795	295/35ZR18	99Y	BSW	506.81	
81286	295/35ZR18	99Y	BSW	460.74	

* As of 6/10/04. For additional information go to www.bfgoodrichtires.com/g-Force.


Radial T/A®

Classic looks and modern performance have made the Radial T/A® tire an American performance legend. Black or raised white letter sidewall styling. 50- through 70-series sizes.


MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
48578	P195/70R14	90S	RWL	99.42	
66748	P205/70R14	93S	RWL	104.94	
98659	P215/60R14	91S	RWL	105.49	
50228	P215/70R14	96S	RWL	108.24	
53273	P225/60R14	94S	RWL	109.57	
79604	P225/70R14	98S	RWL	112.46	
79644	P235/60R14	96S	RWL	116.31	
54322	P245/60R14	98S	RWL	123.71	
86745	P155/80R15	83S	RWL	91.14	
64472	P195/60R15	87S	RWL	97.52	
71072	P205/60R15	90S	RWL	98.29	
67797	P215/60R15	93S	RWL	100.14	
78624	P215/65R15	95S	RWL	114.43	
72634	P215/70R15	97S	RWL	108.28	
64148	P225/60R15	95S	RWL	111.90	
67244	P225/70R15	100S	RWL	111.84	
54712	P235/60R15	98S	RWL	120.63	
61977	P235/70R15	102S	RWL	115.05	
60013	P245/60R15	100S	RWL	120.46	
71728	P255/60R15	102S	RWL	126.91	
45982	P255/70R15	108S	RWL	125.24	
50381	P275/50R15	101S	RWL	177.62	
45185	P275/60R15	107S	RWL	135.40	
75701	P285/70R15	115S	RWL	146.76	
53415	P295/50R15	105S	RWL	179.11	
82300	P265/60R16	106T	RWL	174.67	
93892	P275/65R16	111S	RWL	231.88	
93229	P285/60R16	111T	RWL	186.04	
51487	P295/50R16	107S	BSW	194.87	


Control Plus™

A long-wearing, smooth-riding all-season tire that helps you take control of any driving situation. Backed by a 65,000 Manufacturer's Limited Treadlife warranty.*

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
89201	P155/80R13	79S	WSW	52.45	
94866	P175/70R13	82S	BSW	75.28	
52717	P175/65R14	81T	BSW	79.90	
48207	P175/70R14	84S	BSW	79.17	
43462	P185/65R14	85T	BSW	81.26	
80912	P185/70R14	87S	BSW	80.91	
90956	P185/70R14	87S	WSW	82.60	
53591	P185/75R14	89S	WSW	80.54	
54563	P195/65R14	88T	BSW	84.57	
55170	P195/70R14	90S	BSW	86.58	
69518	P195/75R14	92S	WSW	82.25	
67335	P205/70R14	93S	BSW	87.01	
93720	P205/75R14	95S	WSW	86.05	
91886	P215/70R14	96S	WSW	87.27	
93437	P185/65R15	86T	BSW	85.40	
66888	P195/65R15	89T	BSW	89.41	
91412	P205/65R15	92T	BSW	93.25	
91507	P205/70R15	95S	BSW	88.29	
95179	P205/70R15	95S	WSW	88.35	
82678	P205/75R15	97S	WSW	90.52	
82543	P215/60R15	93T	BSW	103.11	
40746	P215/65R15	95T	BSW	98.23	
49050	P215/70R15	97S	WSW	95.56	
95546	P215/75R15	100S	WSW	93.80	
93626	P225/70R15	100S	WSW	99.59	
88047	P225/75R15	102S	WSW	98.11	
86729	P235/75R15	105S	WSW	103.28	
61057	P215/60R16	94T	BSW	105.90	
72123	215/65R16	98T	BSW	102.49	
62571	P225/60R16	97T	BSW	111.24	


* See warranty for details.



All-Terrain T/A[®]KO

The tire that invented the all-terrain category remains the race-winning standard for on- and off-road performance, great mileage and a bold look that transforms the appearance of any vehicle you put it on.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
90127	27x8.50R14/C	95Q	RWL	142.66	
71736	LT215/75R15/C	100Q	RWL	158.66	
73110	LT235/75R15/C	104Q	RWL	175.96	
50534	30x9.50R15/C	104Q	RWL	174.71	
60316	31x10.50R15/C	109Q	RWL	193.45	
87811	32x11.50R15/C	113Q	RWL	205.47	
75595	33x10.50R15/C	114Q	RWL	210.72	
75406	33x12.50R15/C	108Q	RWL	218.53	
95155	33x9.50R15/C	113Q	RWL	204.31	
95210	35x12.50R15/C	113Q	RWL	237.28	
40954	LT215/70R16/C	100R	RWL	202.60	
70688	LT225/70R16/C	102R	RWL	212.21	
64655	LT225/75R16/D	110S	RWL	198.06	
92965	LT235/70R16/C	104Q	RWL	224.48	
61582	LT235/85R16/E	120S	RWL	205.01	
90649	LT245/70R16/D	113S	RWL	236.27	
10243	LT245/75R16/E	120S	RWL	233.05	
53876	LT255/70R16/D	115Q	RWL	248.71	
06543	LT265/70R16/D	117S	RWL	259.90	
61724	LT265/75R16/D	120S	RWL	247.42	
71887	LT265/75R16/E	123Q	BSW	251.31	
58521	LT275/70R16/D	119S	RWL	265.62	
58739	LT285/75R16/D	122R	RWL	272.71	
87606	LT285/75R16/E	126Q	BSW	277.06	2.36
53444	LT295/75R16/D	123R	RWL	290.47	
90735	LT305/70R16/D	118Q	RWL	300.32	
03643	LT315/75R16/D	121Q	RWL	304.99	
30537	33x12.50R16.5/D	118R	RWL	231.48	
98796	35x12.50R16.5/D	123R	RWL	TBD	
46621	LT265/70R17/C	112Q	RWL	279.94	
58064	LT285/70R17/D	121Q	BSW	306.37	
57974	LT285/70R17/D	121Q	RWL	322.52	
54142	LT315/70R17/D	121R	BSW	342.77	
99249	37x12.50R17/D	124Q	RWL	457.63	0.28
95290	LT285/65R18/D	121Q	RWL	371.91	
82915	LT285/55R20/D	117S	RWL	506.07	
41857	LT325/60R20/D	121S	RWL	630.81	
74497	37x12.50R20/D	120S	RWL	764.04	



Mud-Terrain T/A[®]KM

The only tire named by jeep-enthusiast magazine "JP" as one of the 10 most influential off-road products of all time for its outstanding off-road traction and race-proven performance.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
55834	LT215/75R15/C	100Q	RWL	190.96	
86108	LT235/75R15/C	104Q	RWL	212.91	
41538	30x9.50R15/C	104Q	RWL	206.44	
74183	31x10.50R15/C	109Q	RWL	229.68	
63198	LT325/60R15/C	106Q	RWL	294.20	
73272	32x11.50R15/C	113Q	RWL	247.73	
78167	33x10.50R15/C	114Q	RWL	251.61	
49617	33x12.50R15/C	108Q	RWL	264.51	
64749	35x12.50R15/C	113Q	RWL	278.70	
97742	LT225/75R16/D	110Q	RWL	237.42	
60554	LT235/70R16/C	104Q	RWL	260.63	
66816	LT235/85R16/E	120Q	RWL	247.73	
57897	LT245/75R16/E	120Q	RWL	276.12	
91320	LT255/70R16/D	115Q	RWL	303.22	
66524	LT255/85R16/D	119Q	RWL	253.80	
56262	LT265/75R16/D	120Q	RWL	281.29	
63517	LT285/75R16/D	122Q	RWL	326.45	
74090	LT305/70R16/D	118Q	RWL	350.97	
77837	LT315/75R16/D	121Q	RWL	361.28	
96591	33x12.50R16.5/D	118Q	RWL	285.49	
90769	35x12.50R16.5/D	123Q	RWL	326.66	
15822	LT255/75R17/C		BSW	282.22	
55199	LT285/70R17/D	121Q	RWL	341.99	
76367	35x12.50R17/D	119Q	RWL	381.45	
56097	37x12.50R17/D	124Q	RWL	473.53	0.28
84529	35x12.50R18/D	118Q	RWL	491.29	
95046	37x12.50R18/D	123Q	RWL	614.12	
30447	LT335/55R22/D	121Q	BSW	800.68	




Baja T/A®

The world's first ultra high performance off-road tire. Designed for off-road competition. Multi-time Baja 1000 winner. One of the most dominant tires in off-road racing history.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
------	------	---------------	----------	-----------------------	-------------

34176	31x10.50R15/C	109T	BSW	535.18	
26444	33x10.50R15/C	114T	BSW	590.90	
13272	33x12.50R15/C	108T	BSW	610.74	
02516	35x12.50R15/C	113T	BSW	673.40	
45852	LT315/75R16/C	113T	BSW	745.15	
49244	35x12.50R17/C	111T	BSW	776.86	
89885	37x12.50R17/D	124T	BSW	844.21	0.28



Krawler T/A™ KX

Extreme traction off-road tire that has won more rock crawling championships than any other tire**.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
------	------	---------------	----------	-----------------------	-------------

44690	35x13.50R15/C	114L	BSW	469.61	
*73977	37x12.50R17/C	116L	BSW	587.15	
51716	37x12.50R17/C	116L	BSW	587.15	7.80

*(GR) Groovable Version

**In 2005, BFGoodrich® tires won 61 of 74 major rock crawling championships.




Commercial T/A® Traction

A cool-running, steel-tough tire that helps deliver serious on- and off-road traction over the most demanding routes and conditions. Meets RMA definition for use in severe snow conditions. Molded for studs. Use on rear axle (with Commercial T/A® All-Season on front axle) for added traction or both axles of vehicles used off-road and/or in severe snow conditions.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
------	------	---------------	----------	-----------------------	-------------

42575	LT235/75R15/C	104/101Q	BSW	169.13	
61161	LT215/85R16/D	110/107Q	BSW	174.36	
92261	LT225/75R16/D	110/107Q	BSW	183.73	
72846	LT225/75R16/E	115/112Q	BSW	195.46	
58509	LT235/85R16/E	120/116Q	BSW	189.54	
85980	LT245/75R16/E	120/116Q	BSW	197.46	
53176	LT265/75R16/E	123/120Q	BSW	214.86	




Comp T/A® VRT

A well-known name in high performance tires, designed to help deliver true V-rated performance winter, spring, summer and fall.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
------	------	---------------	----------	-----------------------	-------------

93937	P215/50R16	89V	BSW	183.94	
65598	P225/55R17	95V	BSW	219.14	



Commercial T/A® All Season

A cool-running, smooth-riding, long-wearing all-season commercial tire with a 50,000-mile Manufacturer's Limited Treadlife warranty.* Use on both axles - or with Commercial T/A® Traction on rear axle for added traction where necessary.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
------	------	---------------	----------	-----------------------	-------------

42139	P235/75R15/XL	108S	RBL	151.57	
69635	LT215/85R16/D	110/107Q	RBL	160.26	
42205	LT215/85R16/E	115/112Q	RBL	163.53	
52053	LT225/75R16/D	110/107Q	RBL	168.86	
67515	LT225/75R16/E	115/112Q	RBL	179.65	
45879	LT235/85R16/E	120/116Q	RBL	174.09	
89589	LT245/75R16/E	120/116Q	RBL	181.46	
52075	LT265/75R16/E	123/120Q	RBL	201.07	
62727	LT235/65R18/E	116/113S	RBL	228.11	

* See warranty for details.


Tiger Paw® GTS

An all-season tire for drivers who prefer the handling of a performance tire to regular all-weather tires.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
99541	P205/70R14	93S	RWL	74.00	
68688	P215/60R14	91S	RWL	78.30	
86319	P215/70R14	96S	RWL	76.82	
44906	P225/70R14	98S	RWL	80.77	
88827	P235/60R14	96S	RWL	83.56	
60020	P215/65R15	95S	RWL	82.75	
84534	P215/70R15	97S	RWL	77.79	
51831	P225/70R15	100S	RWL	81.64	
49335	P235/60R15	98S	RWL	86.82	
87037	P235/70R15	102S	RWL	84.15	
59562	P245/60R15	100S	RWL	92.58	
63462	P255/60R15	102S	RWL	96.36	
46824	P255/70R15	108S	RWL	91.75	
99025	P275/60R15	107S	RWL	99.31	


Laredo® All Season AWP

Just the right high-quality on-road tire for today's popular sport utility vehicles, pick-ups and vans.


Laredo® Cross Country


The affordable, reliable SUV and light truck tire built for everyday adventures.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
95161	P205/75R15	97S	ROWL	106.32	
44847	P215/75R15	100S	ROWL	109.80	
71166	P225/70R15	100S	ROWL	114.77	
68737	P225/75R15	102S	ROWL	115.17	
46556	P235/70R15	102S	ROWL	121.85	
74133	P235/75R15	105S	ROWL	116.86	
57010	P235/75R15/XL	108S	ROWL	123.86	
58452	P255/70R15	108S	ROWL	124.54	
53996	P265/70R15	110S	ROWL	142.81	
82711	P265/75R15	112S	ROWL	135.74	
94581	P215/70R16	99S	ROWL	129.29	
83992	P225/70R16	101S	ROWL	123.40	
89890	P225/75R16/XL	106S	ROWL	123.49	
74917	P235/70R16	104S	ROWL	127.58	
82632	P245/70R16	106S	ROWL	137.10	
55408	P245/75R16	109S	ROWL	128.88	
59382	P255/70R16	109S	ROWL	139.96	
43478	P265/70R16	111S	ROWL	151.94	
93470	P265/75R16	114S	ROWL	143.80	
45241	P245/65R17	105S	ROWL	146.38	
81171	P265/70R17	113S	ROWL	158.05	
72786	LT235/75R15/C	104/101R LRC	ROWL	130.21	
94767	30x9.50R15/C	104R LRC	ROWL	131.10	
91266	31x10.50R15/C	109R LRC	ROWL	145.24	
62123	LT245/75R16/E	120/116R LRE	ROWL	156.34	
90382	LT265/75R16/E	123/120R LRE	ROWL	167.71	
89654	LT285/75R16/D	122/119R LRD	ROWL	179.52	


Laredo® AWR

All-season design tuned for original equipment applications. For consumers seeking a premium SUV or other light truck fitment, this tire is just the right match.

MSPN	Size	Service Desc.	Sidewall	2006 Gov't Base Price	2006 F.E.T.
46119	P235/70R15	102S	BSW	103.96	
78877	P235/70R15	102S	ROWL	109.65	
59223	P235/75R16/XL	109S	BSW	112.54	
50929	P235/75R16/XL	109S	ROWL	116.24	


Laredo® AWT

This tire is a high-quality all-terrain tire for the outstanding performance in almost all driving conditions, on or off the road.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
44330	P235/75R15	105S	ROWL	108.56	
61306	P235/75R15/XL	108S	ROWL	115.52	
93446	P265/70R15	110S	ROWL	132.19	
59873	P235/70R16	104S	ROWL	125.94	
41189	P235/75R16	106S	ROWL	120.02	
72009	P245/70R16	106S	ROWL	127.13	
94215	P245/75R16	109S	ROWL	120.16	
80661	P255/70R16	109S	ROWL	133.52	
84246	P265/70R16	111S	ROWL	140.90	
65113	P265/75R16	114S	ROWL	130.56	
71188	P265/70R17	113S	ROWL	143.88	
92803	LT235/75R15/C	104/101Q	ROWL	128.98	
47567	30x9.50R15/C	104Q	ROWL	127.72	
94197	31x10.50R15/C	109Q	ROWL	138.70	
82576	LT225/75R16/D	110/107Q	ROWL	143.02	
95873	LT235/85R16/E	120/116Q	ROWL	146.04	
70271	LT245/75R16/E	120/116Q	ROWL	153.00	
82694	LT265/75R16/C	112/109Q	ROWL	162.42	
97212	LT285/75R16/D	122/119Q	ROWL	169.14	


Laredo® HD/T™

The Laredo® Heavy Duty/Traction tire offers the traction and durability you need in a commercial light truck tire.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
70387	LT235/75R15/C	104/101Q	BSW	150.37	
88794	LT215/85R16/D	110/107Q	BSW	155.01	
79188	LT225/75R16/D	110/107Q	BSW	163.34	
92503	LT225/75R16/E	115/112Q	BSW	173.75	
86389	LT235/85R16/E	120/116Q	BSW	168.51	
46510	LT245/75R16/E	120/116Q	BSW	175.52	
54052	LT265/75R16/E	123/120Q	BSW	193.07	


Laredo® HD/H™


A long mileage light truck tire for heavy hauling, towing and other tough commercial applications.

MSPN	Size	Service Desc.	Sidewall	2006 Govt Base Price	2006 F.E.T.
78007	LT235/75R15/C	104/101Q	BSW	139.22	
59571	LT215/85R16/D	110/107Q	BSW	143.53	
62996	LT215/85R16/E	115/112Q	BSW	146.44	
60948	LT225/75R16/D	110/107Q	BSW	151.23	
89254	LT225/75R16/D	110/107S	BSW	151.23	
80288	LT225/75R16/E	115/112Q	BSW	160.88	
90332	LT225/75R16/E	115/112S	BSW	160.88	
49827	LT235/85R16/E	120/116Q	BSW	156.00	
55810	LT245/75R16/E	120/116Q	BSW	162.50	
48771	LT265/75R16/E	123/120Q	BSW	175.77	

TY025

Utility/Commercial

Retreadable with their tough all-steel construction, the Y785R highway and TY025 traction team up to deliver outstanding durability and long tread life when hauling heavy loads or in adverse weather conditions or terrain. Together or separate, these tube-type, 14-ply commercial tires are second to none. Choose the mud and snow rated TY025 for surefooted snow or off-road traction, or the Y785R for fuel-efficient, dependable on-road service.



See page 28 for Y785R specifications



Features	Benefits
• Wide shoulder ribs	• Add miles to tread life
• Straight five-rib tread design	• Improves handling and ride comfort
• Computer-designed uniform profile	• Maintains balanced dispersion of stress for easy rolling, longer life, and enhanced fuel economy
• Heavy-duty two-ply steel belts	• Deliver long mileage and handling stability
• All-steel construction	• Improves original tread durability, and guards against punctures
• Combine Y785R and TY025	• Delivers outstanding durability and long tread life

Tire Size	Part No.	Base Price	E.E.T.	Unit Weight (lbs)	INFLATED DIMENSIONS		Overall Width (inches)	Overall Diameter (inches)	LOADED DIMENSIONS		Max. Load at Cold Inflation Pressure (lbs@psi)		Type
					Rim Width Meas.	Rim Width Appt.			Tread Width (inches)	Tread Depth (32/in)	Static Radius (inches)	Rev/Mile	
7.50R16 (G)	02501	265.84	2.60	57.36	6.0	6.0	8.2	32.0	5.5	19	15.0	650	3330@100 3175@100 8W

Group D

STATE GOVERNMENT BASE PRICE GUIDE

EFFECTIVE SEPTEMBER 1, 2010



TECHNOLOGY FOCUSED. QUALITY DRIVEN.



**CONTINENTAL TIRE NORTH AMERICA, INC.
STATE GOVERNMENT BASE PRICE GUIDE
Effective September 1, 2005**

Revision 1 Effective December 1 unless otherwise noted

Continental Brand, Medium Truck

<u>Description / Size</u>	<u>LR</u>	<u>Article Number</u>	<u>Base Prices Before Discounts</u>	
HSL Premium Steer				
11R225	H	05682610000	\$	405.80
11R245	H	05682620000	\$	429.80
275/80R225	H	05682590000	\$	405.80
285/75R245	H	05682600000	\$	429.80
HDL Premium Drive				
11R225	H	05682530000	\$	435.72
11R245	H	05682540000	\$	457.04
275/80R225	H	05682510000	\$	435.72
285/75R245	H	05682520000	\$	457.04
HSR Heavy Steer Regional				
11R225	H	05682430000	\$	373.61
11R245	H	05682440000	\$	407.15
275/80R225	H	05682450000	\$	373.61
285/75R245	H	05682460000	\$	407.15
12R225	H	05715110000	\$	468.48
HSR1 Heavy Steer Regional				
245/70R195	H	04715430000	\$	303.03
285/70R19.5	H	04715410000	\$	368.88
305/70R19.5	J	04715420000	\$	421.91
255/70R22.5	H	05713450000	\$	310.72
275/70R225	H	05713060000	\$	419.84
295/80R225	H	05717200000	\$	451.96
LSR Light Steer Regional				
8R175	F	04714010000	\$	210.41
10R175	H	04714040000	\$	273.53
HDR General Drive				
245/70R195	H	04755360000	\$	289.15
285/70R19.5	H	04755380000	\$	356.23
255/70R22.5	H	05753530000	\$	338.86
275.70R22.5	H	05753090000	\$	421.91
12R225	H	05755770000	\$	496.29
315/80R225	J	05757190000	\$	523.23
HSC All-Position				
11R22.5	H	05683870000	\$	406.99
11R24.5	H	05683880000	\$	437.13
12R22.5	H	05683890000	\$	480.21
42R22.5	H	05756810000	\$	480.21
12R24.5	H	05683900000	\$	534.96
12.00R20 TT	J	05351250000	\$	576.20
12.00R24	L	05353490000	\$	543.13
HDC Heavy Drive Construction				
11R22.5	H	05683940000	\$	441.08
41R22.5	H	05683000000	\$	441.08
11R24.5	H	05683950000	\$	475.25

CONTINENTAL TIRE NORTH AMERICA, INC.
STATE GOVERNMENT BASE PRICE GUIDE
Effective September 1, 2005

Revision 1 Effective December 1 unless otherwise noted

Continental Brand, Medium Truck

<u>Description / Size</u>	<u>LR</u>	<u>Article Number</u>	<u>Base Prices Before Discounts</u>	
HMS 45+ Super Single On/Off Hwy				
315/80R225	L	05683190000	\$	542.85
HTR Super Single Rib				
215/75R175	H	04544200000	\$	251.04
235/75R175	H	04544280000	\$	278.37
385/65R22.5	L	05723310000	\$	673.28
425/65R225	L	05723160000	\$	739.88
445/65R225	L	05723210000	\$	833.53
8.25R15*++	J	04140660000	\$	387.53
365/80R20 TT	L	05721730000	\$	713.16
HTR-1				
265/70R19.5	J	04545300000	\$	322.35
285/70R19.5	J	04545330000	\$	395.29
HTC Super Single Hwy				
385/65R225	L	05753160000	\$	565.21
425/65R225	L	05753260000	\$	644.81
445/65R225	L	05753270000	\$	724.42
HSL eco plus Long Haul Steer				
11R22.5	H	05683830000	\$	430.61
11R24.5	H	05683840000	\$	462.61
275/80R22.5	H	05683850000	\$	430.61
285/75R24.5	H	05683860000	\$	462.61
315/80R22.5	J	05684480000 05716400100	\$	560.98
HSU Urban Waste Hauling Steer				
315/80R225	L	05683320000	\$	557.36
HDL eco plus Long Haul Drive				
11R22.5	H	05683750000	\$	441.37
11R24.5	H	05683760000	\$	463.58
275/80R225	H	05683770000	\$	441.37
285/75R24.5	H	05683780000	\$	463.58
HTL Long Haul Trailer changed from LR H effective December 1, 2005				
11R22.5	G	05685390000	\$	338.79
11R24.5	G	05685400000	\$	365.15
275.80R22.5	G	05685410000	\$	338.79
285/75R24.5	G	05685420000	\$	365.15
HDO Off-road Drive				
11R22.5	H	05391190000	\$	453.35
11R24.5	H	05391200000	\$	486.14

CONTINENTAL TIRE NORTH AMERICA, INC.
STATE GOVERNMENT BASE PRICE GUIDE
Effective September 1, 2005

Revision 1 Effective December 1 unless otherwise noted

General Brand, Medium Truck


<u>Description / Size</u>	<u>LR</u>	<u>Article Number</u>	<u>Base Prices</u>	
			<u>Before Discounts</u>	
S580 Premium Steer				
11R225	G	05684410000	\$	394.84
11R225	H	05684420000	\$	399.23
11R245	G	05684430000	\$	417.35
11R245	H	05684440000	\$	422.50
295/75R225	G	05684450000	\$	394.84
295/75R225	H	05684460000	\$	399.23
285/75R245	G	05684470000	\$	417.35
D660 Premium Drive				
11R225	G	05681730000	\$	424.71
11R225	H	05681740000	\$	432.34
11R245	G	05681750000	\$	445.96
11R245	H	05681760000	\$	452.99
295/75R225	G	05681770000	\$	424.71
285/75R245	G	05681780000	\$	445.96
D460 Premium Drive				
11R225	G	05681080000	\$	396.38
11R225	H	05681090000	\$	410.52
11R245	G	05681100000	\$	424.15
11R245	H	05682030000	\$	431.17
295/75R225	G	05681110000	\$	396.38
285/75R245	G	05681120000	\$	424.15
D450 Premium Drive				
11R225	G	05680050000	\$	393.15
11R225	H	05680060000	\$	400.58
11R245	G	05680490000	\$	413.80
11R245	H	05681070000	\$	421.64
295/75R225	G	05680870000	\$	393.15
285/75R245	G	05680660000	\$	413.80
General Rib ST-Trailer				
11R225	G	05680100000	\$	322.70
11R245	G	05680430000	\$	345.10
295/75R22.5	G	05682950000	\$	322.70
285/75R245	G	05681960000	\$	345.10

CONTINENTAL TIRE NORTH AMERICA, INC.
STATE GOVERNMENT BASE PRICE GUIDE
Effective September 1, 2005

Revision 1 Effective December 1 unless otherwise noted

General Brand, Medium Truck

<u>Description / Size</u>	<u>LR</u>	<u>Article Number</u>	<u>Base Prices Before Discounts</u>
S370 All-Position			
11R225	H	05680230000	\$ 351.98
11R245	H	05680460000	\$ 374.36
295/75R225	H	05680830000	\$ 351.98
285/75R245	H	05680670000	\$ 374.36
S360			
900R20	G	05391020000	\$ 351.39
1000R20	H	05391040000	\$ 400.50
1100R20	H	05391070000	\$ 447.66
9R225	G	05684010000	\$ 320.41
10R22.5	G	05683740000	\$ 330.02
11R22.5	G	05783710000	\$ 349.56
11R22.5	H	05683720000	\$ 359.69
11R24.5	H	05683730000	\$ 388.47
D445			
900R20	G	05391030000	\$ 391.38
1000R20	H	05391050000	\$ 437.04
1100R20	H	05391080000	\$ 538.22
10R22.5	G	05680630000	\$ 359.69
Ameri*MSL All-Position			
1000R20 TT	H	05391060000	\$ 452.46
1100R20 TT	H	05391090000	\$ 524.56
11.00R22	H	05391100000	\$ 569.50
1100R24 TT	H	05390130000	\$ 575.21
40R225	G	05680000000	\$ 355.70
MS520			
11R225	H	05681140000	\$ 404.60
11R245	H	05681160000	\$ 431.76
LMT 400			
225/70R195	F	05682410000	\$ 250.96
LMT 450			
225/70R195	F	05682420000	\$ 260.96
LMT 460			
225/70R195	F	05682400000	\$ 260.96
ST250LP			
255/70R225	H	05681130000	\$ 306.80
ST250			
11R225	G	05681790000	\$ 329.29
11R225	H	05684610000	\$ 336.64
11R245	G	05681810000	\$ 352.13
11R245	H	05684620000	\$ 358.99
295/75R22.5	G	05684630000	\$ 329.29
285/75R245	G	05684640000	\$ 352.13

[Home](#) • [News](#)[General Tire Web Links](#) ■ [Company](#) [Products](#)[Truck Tires](#) ▶ [S360](#)[Truck Tires](#)[Technical Info](#)[Programs](#)[Dealer Locator](#)[Other Tires](#)[General University](#)[Merchandise](#)[OTR Tires](#)[Contact Us](#)[Sitemap](#)[Website Information](#)[Continental Portal](#)

S360


Multi-Purpose All-Position

All purpose, 18/32" tread pattern provides good mileage and abrasion resistance in all-position service.

Stone ejection system reduces stone retention and casing penetration.

Multi-service tread compound provides good mileage and cut and tear resistance.

Applications: General rib design for all position service, local delivery and short haul



© Continental AG 2006, Legal ▶

GENERAL TIRE  USA / Canada – Truck Tires

Search

Home · News

Truck Tires

Technical Info

Programs

Dealer Locator

Other Tires

General University

Merchandise

OTR Tires

Contact Us

Sitemap

Website Information

Continental Portal

Truck Tires ▶ S370

S370


**On/Off Highway
All-Position**

Stone Ejection System reduces stone retention for casing durability and offers multiple retread opportunities.


Visual Alignment Indicators (VAI) alert user to tire tracking problems.

Tread compound specially formulated to provide high mileage for on-highway driving, and resists cuts and tears in off-road use.

Applications: Bottom dumps, end dumps, coal haulers, school buses, waste haulers, beverage trucks



© Continental AG 2006, Legal ▶



USA / Canada – Truck Tires

Search

Home · News



General Tire Web Links ■ Company Products

▶ Truck Tires ▶ ST250 LP

Truck Tires

ST250 LP

Technical Info

Programs

Dealer Locator

Other Tires

General University

Merchandise

OTR Tires

Contact Us

Sitemap

Website Information

Continental Portal

Premium Trailer

Visual Alignment Indicator (VAI) alert users to tire tracking problems.

Stone ejection system reduces stone retention and casing penetrations.

See through grooves aid in water evacuation providing excellent wet traction.

Applications: Low profile trailer position




Size

255/70R22

Additional tire
available as
177 kb). Ad-
Reader requi-
[ST250 LP](#)

© Continental AG 2006, Legal ▶



USA / Canada – Truck Tires

Search

Home · News



General Tire Web Links ■ Company Products

► Truck Tires ► Rib ST

[Truck Tires](#)

Rib ST

[Technical Info](#)

Premium Trailer

[Programs](#)

13/32" tread depth and cut/chip resistant tread compound provide long tread life in on/off road conditions.

[Dealer Locator](#)


Stone ejection system reduces stone retention and casing penetrations.

[Other Tires](#)


New sidewall profile with curb rib reduces damage from curbing, cuts and abrasions.

[General University](#)

Applications: Coal haulers, logging, construction, school buses, waste haulers, and any on/off highway service

[Merchandise](#)[OTR Tires](#)[Contact Us](#)[Sitemap](#)[Website Information](#)[Continental Portal](#)

© Continental AG 2006, Legal ▶



USA / Canada – Truck Tires

Search

Home • News



General Tire Web Links ■ Company Products

▶ Truck Tires ▶ D445


[Truck Tires](#)**D445**[Technical Info](#)[Programs](#)[Dealer Locator](#)[Other Tires](#)[General University](#)[Merchandise](#)[OTR Tires](#)[Contact Us](#)[Sitemap](#)[Website Information](#)[Continental Portal](#)**General Purpose Drive**

Aggressive tread pattern offers excellent all weather traction.

Block/rib designed shoulder provides reduced driving noise and promotes even wear.

Multi-service tread compound provides long tread life in on/off road conditions.

Applications: Drive position short and long haul. On/off highway service (depending on conditions).



Tire Siz

TubeTy

9.000R

10.00R

11.00R


Tubele

10.00R

*ECE C

Addition
available
202 kb).
Reader
[D445 Dr](#)

© Continental AG 2006, Legal ▶



USA / Canada – Truck Tires

Search

Home · News



General Tire Web Links ■ Company Products

▶ Truck Tires ▶ D460

Truck Tires

D460

Technical Info

Programs

Dealer Locator

Other Tires

General University

Merchandise

OTR Tires

Contact Us

Sitemap

Website Information

Continental Portal


Premium Drive

Innovative tread pattern minimizes stone retention providing excellent retreadability.

Closed shoulder tread design promotes even tread wear.

Advanced tread compound for long mileage.

Applications: Tandem drive axle for long and short over-the-road use



Tire Siz

11R22.5

11R22.5

11R24.5

11R24.5

295/75F

285/75F

Additional
available
199 kb).
Reader i
[D460 Da](#)

© Continental AG 2006, Legal ▶

[Home](#) • [News](#)[▶ Truck Tires](#) [▶ D450](#)[Truck Tires](#)

D450

Tire

[Technical Info](#)

11R

[Programs](#)

11R

[Dealer Locator](#)

11R

[Other Tires](#)

11R

[General University](#)

295/

[Merchandise](#)

285/

[OTR Tires](#)

Addit

[Contact Us](#)

avail


[Sitemap](#)

202 ↴


[Website Information](#)

Read

D450

[Continental Portal](#)

© Continental AG 2006, Legal ▶



USA / Canada – Truck Tires

Search

Home · News



General Tire Web Links ■ Company Products

▶ Truck Tires ▶ ST250

Truck Tires

ST250 Long Haul Trailer

NEW FOR 2005

Technical Info

Programs

Dealer Locator

Other Tires

General University

Merchandise

OTR Tires

Contact Us

Sitemap


Website Information

Continental Portal

- Visual Alignment Indicators (VAI®) alert users to tire tracking problems.

- Stone ejection system reduces stone retention and casing penetrations.

- 13/32" tread depth minimizes tread squirm and irregular wear


**APPLICATIONS:** Long haul trailer.

© Continental AG 2006, Legal ▶

Jan 1, 2006

YKS TIRES

ROAD GRADER G-2
Maximum Speed - 25 M.P.H.



20.5-25 W.B. ROAD GRADER


061 302 DIRT LOADER G-2 TBLS
145248 15.5/25 12 ply TBLS 325.00

061 306 LOADER GRADER G-2 TBLS
145249 1400/24 12 ply TT 348.00
145250 1300/24 12 ply TBLS 320.00
145251 1400/24 12 ply TBLS 366.95
145252 1600/24 12 ply TBLS 733.94
145253 1600/24 16 ply TBLS 816.56
145254 17.5/25 12 ply TBLS 363.00
145255 17.5/25 16 ply TBLS 561.61
145256 20.5/25 12 ply TBLS 530.00
145257 20.5/25 16 ply TBLS 898.72





061 317 MPT DIRECTIONAL R-1 TBLS
145258 10.5/20 10 ply TBLS 220.00

GROUP E



061 503 INDUSTRIAL LOAD R-4 TT/TBLS
145239 14.9/24 8 ply TT 225.00
145240 16.9/24 8 ply TT 260.00
145241 16.9/24 10 ply TBLS 295.00
145242 17.5L/24 8 ply TBLS 280.00
145243 17.5L/24 10 ply TBLS 300.00
145244 18.4/24 10 ply TBLS 370.00
145245 19.5L/24 12 ply TBLS 385.00
145246 21L/24 12 ply TBLS 495.00
145247 18.4/28 10 ply TBLS 385.00



061 318 EM EM-3 OFF ROAD TBLS
145260 17.5/25 12 ply TBLS 455.00
145261 17.5/25 16 ply TBLS 485.00
145262 20.5/25 12 ply TBLS 685.00
145263 20.5/25 16 ply TBLS 720.00
145264 1800/25 32 ply TBLS 1125.00
145265 23.5/25 16 ply TBLS 995.00
145266 23.5/25 20 ply TBLS 1075.00

PRODUCT LISTING BY MACHINE TYPE

WORK MACHINES

BACKHOES

XM27™	75
XM37™	76
XM47™	76
XZSL®	64

ROUGH-TERRAIN FORKLIFTS

XF™	80
XGLA2™	62
XHA™	65
XM27™	75
XM37™	76
XM47™	76
XR™ A	67
XTLA™	63

GRADERS

XGLA2™	62
XHA™	65
XLD® D1	73
XLD® D2	73
XLD® L3	65
XMPS®	62
XR™ A	67
X SNOPLUS® M&S	62
XTLA™	63

LOADERS/DOZERS

XAD™ 65-1 SUPER E3	67
XADN®	66
XADT®	66
XGLA2™	62
XHA™	65
XLD® D1	73
XLD® D2	73
XLD® L3	65
XM27™	75
XM37™	76
XM47™	76
X MINE® D2	74

LOADERS/DOZERS

XRDN™ A	72
XSM® D2+	73
X® SUPER TERRAIN AD	66
X SNOPLUS® M&S	62
XTLA™	63
XZSL®	64

TELESCOPIC HANDLERS

XGLA2™	62
XHA™	65
XM27™	75
XM37™	76
XM47™	76
XR™ A	68
X SNOPLUS® M&S	62
XTLA™	63
XZSL®	64

SKID-STEER LOADERS

X MINE® D2	74
XZSL®	64

UNDERGROUND EQUIPMENT (Loaders/Haulers)

XK®	68
X MINE® D2	74
XSM® D2+	73

TRANSPORT MACHINES

ARTICULATED DUMPERS

XAD™ 65-1 SUPER E3	67
XADN®	66
XADT®	66
X® SUPER TERRAIN AD	66

FIRE AND RESCUE

XADN®	66
XGC®	63

MOBILE CRANES

XGC®	63
XMP™	79
X SNOPLUS® 170E	80

PRODUCT LISTING BY MACHINE TYPE

TRANSPORT MACHINES

RIGID DUMPERS

XDM™	71
XDR™	70
XDR™ S	71
XDT™	69
X-HAUL®	68
XHD1™	65
XK®	68
XKD1™	68
X-QUARRY®	69
X-QUARRY® S	69
XR™ B	67
XR™ C4	67
X-TRACTION™ RD	64
X-TRACTION™ S RD	64
XVC™	63

SCRAPERS

XADN®	66
XADT®	66
XHA™	65
XMS™	71
XR™ B	67
XRS™	72
X® SUPER TERRAIN AD	66
XTS®	67

BOTTOM DUMP TRUCKS

XDM™	71
XDR™	70
XDR™ S	71
XDT™	69
X-HAUL®	68
XK®	68
XKD1™	68
XR™ B	67
X-TRACTION™ RD	64
X-TRACTION™ S RD	64
XVC™	63

INDUSTRIAL MACHINES

CONTAINER HANDLERS

STABIL'X® X STACKER™	78
STABIL'X® XZM™	77
STABIL'X® XZM™ 2	78

DOCK CRANES

X-STRADDLE®	78
-------------	----

FORKLIFTS

X MINE® D2	74
STABIL'X® XZM™	77
STABIL'X® XZM™ 2	78

AIRPORT GROUND EQUIPMENT (Aircraft Pushback Vehicle)

X-STRADDLE®	78
STABIL'X® XZM™	77

REACH STACKERS

STABIL'X® X STACKER™	78
STABIL'X® XZM™	77
STABIL'X® XZM™ 2	78

STRADDLE CARRIERS

X-STRADDLE®	78
-------------	----

TERMINAL TRACTORS

X-TERMINAL T™	79
STABIL'X® XZM™	77

SPECIAL APPLICATION MACHINES

COMPACTORS

X® LISSE COMPACTEUR™	79
----------------------	----

LOGGING

XHD1™ A	65
XMP™	79
X SNOPLUS® 170E	80

TRANSPORT (Trucks, Trailers, Flatbeds)

XGC®	63
XMP™	79
X SNOPLUS® 170E	80

WHEELED EXCAVATORS

XF™	80
-----	----

MICHELIN® EARTHMOVER RADIALS




XGLA2™

	Graders
	Telescopic Handlers
	Loaders
	Rough-Terrain Forklifts

The L2/G2 Michelin® radial tire designed with aggressive, non-directional tread to give graders maximum traction.

- Excellent traction and grip
- Increased power to the blade
- Large contact patch for better handling
- Drastic reduction in flats

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	13.00R24	G2,L2	—	*	31	25	24704	\$1028.50
	14.00R24	G2,L2	—	*	31	25	15924	\$1141.80
	16.00R24	G2,L2	—	*	35	28	45611	\$2162.60



XMPS®

	Graders
--	---------

The Michelin® radial tire designed with an aggressive, non-directional tread to give graders increased productivity year round.

- Excellent traction with large area ground contact
- All-season capability
- Drastic reduction in flats

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	14.00R24	G2	—	*	30	24	24154	\$1,722.60



X SNOP PLUS® M&S

	Graders
	Loaders
	Telescopic Handlers

The all-season Michelin® radial tire designed for use on graders and loaders where exceptional traction on snow and ice is required.


- Exceptional traction and maneuverability on ice and snow
- Minimal chain usage
- All-season use

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	14.00R24	G2	—	*	30	24	53173	\$1,771.00
	17.5R25	G2,L2	—	*	35	28	99466	\$2,058.10
	20.5R25	G2,L2	—	*	39	31	62408	\$3,085.50
	23.5R25	G2,L2	—	*	43	34	74539	\$4185.50


MICHELIN® EARTHMOVER RADIALS




XTLA™



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	15.5R25	G2,L2	—	*	33	26	94687	\$1,134.10
	17.5R25	G2,L2	—	*	35	28	04118	\$1,438.80
	20.5R25	G2,L2	—	*	39	31	09122	\$2,244.00
	23.5R25	G2,L2	—	*	43	34	49977	\$3,162.50
	550/65R25 (20.5R25)	G2,L2	—	*	42	33	64593	\$2,314.40




XGC®



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	14.00R25	E2	170E	—	28	22	11786	\$1,897.50
	16.00R25	E2	177E	—	31	25	87861	\$3,120.70
	17.5R25	E2	170E	—	35	28	52748	\$2,490.40
	20.5R25	E2	179E	—	39	31	58968	\$3,732.30
TUBE TYPE	14.00R24	E2	170E	—	28	22	30500	\$1,841.40



XVC™



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	14.00R24	—	—	—	28	22	11786	\$1,897.50

The Michelin® radial E2 tire designed especially for high-speed applications on well-maintained site roads.

- High-speed capabilities
- Excellent traction, handling and wear

MICHELIN® EARTHMOVER RADIALS



The Michelin® radial tire engineered to deliver excellent traction on soft surfaces.


- Excellent traction and long wear
- Fewer flats and easy to repair

X-TRACTION™ RD

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
Rigid Dumpers Bottom Dump Trucks	27/00R49	E4	—	—	102	81	38957	\$14821.40

X-TRACTION™ S RD

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
	27/00R49	E3	—	—	58	46	35019	\$13616.90



This Michelin® radial tire is designed to provide superior performance on small construction equipment.

- Exceptional treadwear for long life
- Fewer flat tires for maximum uptime
- A smooth, stable ride for operator comfort
- Improved productivity


XZSL®

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
Skid-Steer Loaders Telescopic Handlers	27X8.50R15	L3	117A5	6	19	15	41393	\$367.40
	10R16.5	L3	128A5	8	24	19	56324	\$306.90
Loaders (Utility) Backhoes	12R16.5	L3	141A5	10	28	23	70710	\$414.70
	335/80R18	L3	151A2/139B	—	33	26	44533	\$632.50
	335/80R20	L3	153A2/141B	—	37	29	65249	\$650.10
	375/75R20	L3	155A2/143B	—	37	29	57791	\$778.80
	405/70R20	L3	155A2/143B	—	38	31	94628	\$810.70
	425/75R20	L3	167A2/155B	—	38	31	64875	\$1137.40

MICHELIN® EARTHOVER RADIALS



XH™




The versatile Michelin® L3 radial tire designed for loaders, graders and other equipment used in construction, stockpile and truck-loading applications.

- Excellent traction
- Steel cord protection from flat tires
- Stable, comfortable ride

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XHA TUBELESS	15.5R25	L3	—	*	33	26	25042	\$1,317.80
	17.5R25	L3	—	*	34	27	35052	\$1,999.80
	20.5R25	L3	—	*	39	31	31836	\$2,971.10
	23.5R25	L3	—	*	43	34	30826	\$4,062.30
	26.5R25	L3,E3	—	*	47	37	14668	\$5,583.60
	29.5R25	L3,E3	—	*	50	40	00910	\$7,053.20
XHD1 A TUBELESS	14.00R25 (385/95R25)	E4	—	***	48	38	34504	\$2,552.00
	16.00R25	E4	—	**	54	43	34694	\$4,055.70
	18.00R25	E4	—	**	59	47	34710	\$5,265.70



XLD® L3



The technologically advanced, low-profile Michelin® radial tire for small and medium loaders engineered to substantially increase productivity in moderately abrasive conditions.


- More bucket fill
- Easy handling with quick starts and stops
- Increased ground contact for unsurpassed traction
- Extra stability and operator comfort

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	550/65R25 (20.5R25)	L3	—	*	40	32	86785	\$3,089.90
	600/65R25 (20.5R25)	L3	—	*	43	34	82704	\$3,566.20
	650/65R25 (23.5R25)	L3	—	*	47	37	90278	\$4,176.70
	750/65R25 (26.5R25)	L3	—	*	52	41	50629	\$5,749.70

MICHELIN® EARTMOVER RADIALS




XADN®




The Michelin® E3 radial tire for articulated trucks designed to deliver exceptional reliability in a variety of applications.

- Excellent traction
- High-tech casing and special tread compounds for operator comfort
- Rugged shoulder design for added sidewall protection and long tire life

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDs	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	23.5R25	E3	185B	—	48	38	86650	\$4214.10
	26.5R25	E3	193B	—	52	41	72625	\$5779.40
	29.5R25	E3	200B	—	55	44	44038	\$7304.00



X® SUPER TERRAIN AD




The Michelin® E4 radial tire for articulated dump trucks engineered to deliver long life, maximized protection and excellent traction in a variety of demanding applications.

- Aggressive, self-cleaning tread design offers exceptional traction
- Deep tread and special rubber compounds for durability and long life
- Rugged shoulder and sidewall help provide maximum protection

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDs	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS NEW	23.5R25	E4	185B	—	66	52	13954	\$4918.10



XADT®



The extra-deep tread Michelin® E4 radial tire for articulated trucks designed to deliver exceptional performance and durability in solid waste and quarry applications.

- Excellent traction
- Deep tread and special rubber compounds for durability and longer life
- Rugged shoulder design for added sidewall protection

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDs	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	26.5R25	E4	193B	—	66	52	60172	\$6394.30
	29.5R25	E4	200B	—	72	57	63837	\$8024.50

MICHELIN® EARTHMOVER RADIALS



The Michelin® Super E3 low-profile, low-pressure radial tire designed to deliver excellent flotation, lateral stability and traction for articulated dump trucks.

XAD™ 65-1 SUPER E3



Articulated Dumpers



Loaders (Utility)

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	650/65R25*	E3	180B	—	51	40	89647	\$4,502.30
	750/65R25*	E3	190B	—	54	43	79374	\$5,943.30
	850/65R25*	E3	196B	—	61	47	87257	\$7,511.90
	7/5/65R29*	E3	195B	—	57	45	74895	\$6,468.00
	8/75/65R29*	E3	203B	—	64	51	40269	\$7,986.00

*Contact your local ESM for proper fitment recommendations

The Michelin® radial tire with a time-proven, versatile tread design that delivers both excellent traction on soft surfaces and long life in long-haul, high-speed applications.



- Versatility — both excellent traction and long wear
- Long life — fewer flats and easier to repair
- Cool running for long, fast hauls

XR™



Bottom Dump Trucks



Telescopic Handlers



Rigid Dumpers



Rough-Terrain Forklifts




Scrapers



Graders

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XR A TUBELESS	14.00R24	G3/L3	—	*	28	22	28035	\$1,749.00
	16.00R24	G3	—	*	33	26	07104	\$2,613.60
XR B TUBELESS	18.00R33	E2/E3	—	*	35	28	08003	\$5,210.70
	24.00R49	E2/E3	—	*	47	37	08615	\$9,923.10
XR C4 TUBELESS	36.00R51	E2/E3	—	*	67	53	85992	\$26,334.80



The Michelin® E3T radial tire for mid-size scrapers engineered to provide exceptionally long life, excellent resistance to damage and enhanced traction.

XTS®



Scrapers

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	29.5R20	E3	—	*	47	37	46731	\$6,914.60
	33.25R20	E3	—	*	55	44	73725	\$8,912.20
	32.95R20	E3	—	*	50	40	64173	\$7,812.20
	37.25R35	E3	—	*	59	47	54190	\$12,232.67

MICHELIN® EARTMOVER RADIALS



The Michelin® radial tire designed to deliver maximum protection in severe transport and abrasive underground mining conditions.

- Maximum protection from extreme job site hazards
- Extra endurance and stability

	Bottom Dump Trucks		Logging Transport
	Rigid Dumpers		Underground Haulers
	Underground Loaders		

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XK A TUBE TYPE	12.00R24	E3	—	***	26	21	06809	\$1,664.30
	14.00R24	E3	—	***	30	24	06866	\$2,270.40
XK A TUBELESS	21.00R25	L3	—	**	42	33	65383	\$6,895.90
XKD1 A TUBE TYPE	14.00R24	E4	—	***	47	37	06874	\$2,810.50
XKD1 A TUBELESS	18.00R25	E4	—	**	59	47	12336	\$5,121.60
XKD1 B TUBELESS								
XKD1 B4 TUBELESS								
XKD1 C4 TUBELESS								




The Michelin® E4 radial tire for haul trucks operating at high speeds designed to provide excellent protection and long wear in harsh conditions.

- High-speed capabilities
- Long tire life
- Excellent resistance to damage

	Rigid Dumpers		Bottom Dump Trucks
--	---------------	--	--------------------

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS								

MICHELIN® EARTMOVER RADIALS


XDT™


Rigid Dumpers



Bottom-Dump Trucks

The Michelin® E4 radial tire for haul trucks designed to provide excellent adhesion and traction in severe conditions.

- Reduced wheel spin and improved traction
- Excellent resistance to damage
- Long, even-wearing tread pattern

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XDT A TUBELESS								
XDT A4 TUBELESS								
XDT B TUBELESS								
XDT C4 TUBELESS NEW								


X-QUARRY®


Rigid Dumpers

The extremely durable Michelin® E4 radial tire designed for use on haul trucks running at average speeds in the most damaging quarry conditions.


- Long tire life
- Resistance to cuts and abrasions
- Even treadwear
- Machine protection and operator comfort
- Deeper tread than standard E4

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS								


X-QUARRY® S

TUBELESS

MICHELIN® EARTHMOVER RADIALS


XDR™


Rigid Dumpers




Bottom Dump Trucks

The Michelin® radial E4 tire for haul trucks designed to deliver long life, maximum protection and excellent traction in the most severe mine and quarry conditions.

- Long tire life
- Extra protection in severe operating conditions
- Excellent traction capabilities
- Choice of rubber compounds: from extra-cut protection to higher-speed capability

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XDR A TUBELESS	27/100R49	E4			95	75	97112	\$14,685.00
	33/100R51	E4			110	87	96284	\$27,430.70
	36/100R51	E4			122	97	44598	\$33,636.90
	37/100R57	E4			122	97	82908	\$43,716.20
	40/100R57	E4			122	97	94519	\$47,698.20
	59/80R63	E4			146	116	67109	\$78,807.30
XDR B TUBELESS	27/100R49	E4			95	75	92388	\$14,685.00
	33/100R51	E4			110	87	76042	\$27,430.70
	36/100R51	E4			122	97	50173	\$33,636.90
	37/100R57	E4			122	97	48838	\$43,716.20
	40/100R57	E4			122	97	65111	\$47,698.20
	50/90R57	E4			135	107	95806	\$60,512.10
	53/80R63	E4			132	105	75490	\$63,789.00
	56/80R63	E4			132	105	30537	\$77,597.80
	59/80R63	E4			146	116	99985	\$78,807.30
XDR B4 TUBELESS	27/100R49	E4			95	75	57870	\$14,685.00
	33/100R51	E4			110	87	98554	\$27,430.70
	36/100R51	E4			122	97	87110	\$33,636.90
	37/100R57	E4			122	97	55592	\$45,366.20
	40/100R57	E4			122	97	48755	\$49,497.80
	50/90R57	E4			135	107	51976	\$60,512.10
	53/80R63	E4			132	105	94829	\$63,789.00
	56/80R63	E4			132	105	30537	\$77,597.80
	59/80R63	E4			146	116	60129	\$78,807.30
XDR C TUBELESS NEW	40/100R57	E4			122	97	49277	\$47,698.20
XDR C4	27/100R49	E4			95	75	62602	\$14,685.00
	33/100R51	E4			110	87	991900	\$27,430.70
	37/100R57	E4			122	97	97663	\$43,716.20
	40/100R57	E4			122	97	84964	\$47,698.20
	50/90R57	E4			135	107	46349	\$60,512.10
	53/80R63	E4			132	105	72030	\$63,789.00
	56/80R63	E4			132	105	90607	\$77,597.80
	59/80R63	E4			146	116	56935	\$78,807.30


MICHELIN® EARTHOVER RADIALS



XDR™ S



Rigid Dumpers




Bottom Dump Trucks

The Michelin® radial tire for haul trucks designed to deliver long life and excellent traction in long haul, high-speed applications.

- Long tire life
- Excellent traction capabilities

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XDR S B TUBELESS	159/80R63	1620	104	1/2	89	71	95164	\$78.80/30
XDR S C4 TUBELESS	159/80R63	1620	104	1/2	189	71	99387	\$78.80/30



XDM™



Rigid Dumpers




Bottom Dump Trucks

The Michelin® radial tire for haul trucks designed to deliver low operating costs in applications requiring a unique combination of traction, speed and protection.

- Excellent traction
- High-speed capabilities
- Durability in severe working conditions

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XDM C4 TUBELESS	400/00R57	1620	104	1/2	180	64	951650	\$43,557.80



XMS™




Scrapers

This Michelin® E3 radial tire for large scrapers is designed to deliver excellent traction, superior damage resistance and a smooth ride.


- Extended tire life
- Extra protection in severe operating conditions
- Superior traction and flotation
- Smooth ride for optimal operator comfort

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
XMS A TUBELESS	140/50-15R30	1620	104	1/2	44	51	91324	\$16,881.70
XMS B TUBELESS	140/50-15R30	1620	104	1/2	44	51	93211	\$16,881.70

MICHELIN® EARTHMOVER RADIALS



XRDN™ A




	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS								

The Michelin® radial tire designed to deliver extra protection and a high level of performance on wheel loaders.

- Extra durability in severe working conditions
- Smooth ride for maximum operator comfort
- Excellent flotation and traction



XRS™



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS								

The non-directional Michelin® radial tire for large scrapers designed to provide excellent longitudinal/lateral traction and exceptional tread and sidewall cut protection.

- Excellent traction for improved productivity
- Extra durability even in the toughest applications
- Deeper tread than standard E4


MICHELIN® EARTMOVER RADIALS



The directional Michelin® L4/L5 radial tire for wheel loaders designed to provide high levels of stability, traction and protection combined with a cushioned ride for operator comfort.

- Long-lasting tread life
- Stable, comfortable ride
- Excellent traction

XLD® D1/D2




Dozers

Loaders



Graders


	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
XLD D1 TUBELESS	26.5R25	L4	—	*	67	53	70042	\$6,886.00
	29.5R25	L4	—	*	73	58	90432	\$8,829.70
XLD D2 TUBELESS	17.5R25	L5	—	*	79	63	37608	\$3,360.50
	20.5R25	L5	—	*	91	72	79084	\$5,058.90
	23.5R25	L5	—	*	98	78	58159	\$6,294.20
	26.5R25	L5	—	*	110	87	33046	\$8,033.30
	29.5R25	L5	—	*	118	94	28230	\$10,216.80



The super-deep, smooth Michelin® radial tire designed for maximum wear and reliability on wheel loaders and haulers working in severe mining, quarry and waste-handling conditions.

- Reliability in the most extreme conditions
- Super-deep tread for extended wear

XSM® D2+



Loaders


Underground Haulers



Underground Loaders

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	12.00R24	L5S	—	—	71	57	80803	\$2,802.80
	14.00R24	L5S	—	—	73	58	80802	\$4,215.20
	17.5R25	L5S	—	—	96	77	80809	\$4,538.60
	18.00R25	L5S	—	—	119	95	80804	\$8,097.10
	26.5R25	L5S	—	—	126	101	80807	\$10,562.20

MICHELIN® EARTHTMOVER RADIALS



This rugged Michelin® super L5 traction radial designed to give maximum protection in severe hard rock quarries, underground mines, scrap and solid waste applications.

- Excellent productivity and uptime
- Long tire life
- Maximum operator comfort and machine protection
- No chains or foam/poly fill required

X MINE® D2



Forklifts



Loaders



Skid-Steer Loaders



Underground Haulers



Underground Loaders

	SIZE	TRA CODE	ISO INDEX	STAR RATING/PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBE TYPE	7.50R15	L5	—	—	58	46	23416	\$931.70
	8.25R15	L5	—	—	60	48	22154	\$1,155.00
	10.00R15	L5	—	—	60	48	18686	\$1,590.60
	14.5R15	L5	—	—	60	48	41368	\$1,798.50
	350/65R15	L5	—	—	45	36	85701	\$1,692.90
	400/80R15	L5	—	—	42	33	41318	\$2,017.40
	9.00R20	L5	—	—	64	51	09497	\$1509.20
	12.00R20	L5	—	—	72	57	19601	\$2,214.30
	14.00R20	L5	—	—	60	48	64715	\$2,667.50
	12.00R24	L5	—	—	72	57	19455	\$2,442.00
TUBELESS	15.5R25	L5	—	—	76	60	34827	\$2,706.00
	17.5R25	L5	—	—	82	65	32219	\$3,923.70
	18.00R25	L5	—	—	103	82	00489	\$7,025.70
	20.5R25	L5	—	—	93	74	34173	\$5,744.20
	23.5R25	L5	—	—	105	83	14357	\$7,346.90
	26.5R25	L5	—	—	115	91	21337	\$9,308.20
	29.5R25	L5	—	—	126	100	33522	\$11,808.50
	35/65R33	L5	—	—	127	97	19132	\$14,550.80
	45/65R39	L5	—	—	146	116	51136	\$26,688.50
	45/65R57	L5	—	—	145	115	76263	\$29,007.00
LC	55/80R57	L5	—	—	150	119	07595	\$100,180.30
	55/80R57 (SR)	L5	—	—	150	119	18939	\$100,180.30
	55/80R57 (HR)	L5	—	—	150	119	13267	\$100,180.30
	60/80R57 (HR)	L5	—	—	148	118	09011	\$115,183.20
	60/80R57 (SR)	L5	—	—	148	118	31145	\$115,183.20
	60/80R57 (LC)	L5	—	—	148	118	40875	\$115,183.20

*LC = Lift and Carry


*SR = Standard Rock

*HR = Hard Rock

MICHELIN® INDUSTRIAL RADIALS



X M 27™



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	11LR16	R4	122A8	—	29	23	13902	(*)
	275/80R18 (10.5R18)	R4	142A2/ 130B	—	23	18	76085	(*)
	335/80R18 (12.5R18)	R4	151A2/ 139B	—	28	22	45402	(*)
	275/80R20 (10.5R20)	R4	144A2/ 132B	—	23	18	78852	(*)
	335/80R20 (12.5R20)	R4	153A2/ 141B	—	28	22	86640	(*)
	375/75R20 (14.5R20)	R4	155A2/ 143B	—	29	23	47507	(*)
	405/70R20 (15.5R20)	R4	155A2/ 143B	—	33	26	45182	(*)
	425/75R20 (16.5/75R20)	R4	167A2/ 155B	—	33	26	78575	(*)
	14.9R24	R4	135A8	—	49	39	76970	(*)
	16.9R24	R4	146A8	—	52	42	63217	(*)
	17.5LR24	R4	145A8	—	47	37	64386	(*)
	19.5LR24	R4	149A8	—	47	37	69906	(*)
	16.9R28	R4	148A8	—	45	36	70862	(*)
TUBE TYPE	18.4R34	R4	157A8	—	53	42	78237	(*)


*Our most versatile R4 drive radial tire for backhoes and other specialized machines. With Advanced Radial Technology™, these tires help deliver excellent traction and durability both on and off the road.

(*) See Agricultural Industrial Price on Page 106.

MICHELIN® INDUSTRIAL RADIALS



XM37™




	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS	12.5/80R18	R4	142A8	—	34	27	77726	(*)
	10.5R20	R4	133A8	—	27	21	63196	(*)
	12.5/80R20	R4	143A8	—	34	27	71301	(*)
	400/70R20 (14.5R20)	R4	153A8	—	35	28	62077	(*)
	16.9R24	R4	148A8	—	39	31	81525	(*)
	440/70R24 (17.5LR24)	R4	150A8	—	47	37	78623	(*)
	500/70R24 (19.5LR24)	R4	157A8	—	48	38	98979	(*)
	480/80R26 (18.4R26)	R4	160A8	—	52	41	77414	(*)
	420/85R28 (16.9R28)	R4	151A8	—	40	32	84644	(*)

(*) See Agricultural Industrial Price on Page 107.

The Michelin® R4 radial tire designed to operate at elevated speeds and loads with excellent traction and mobility.

- Speed rated to 55mph
- Steel crown belts and buttress shoulders to withstand job site punishment
- Exceptional high load capacity


XM47™ INDUSTRIAL HIGH SPEED



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOVT BASE PRICE
TUBELESS NEW	405/70R20	R4	136G	—	35	28	43043	(*)
	425/75R20	R4	148G	—	38	30	75328	(*)
	445/70R24	R4	151G	—	43	34	45627	(*)
	495/70R24	R4	155G	—	44	35	88892	(*)

(*) See Agricultural Industrial Price on Page 106.


MICHELIN® INDUSTRIAL RADIALS



The rugged pneumatic Michelin® radial tire designed for forklift trucks, terminal tractors and other industrial equipment used in heavy-duty applications.


- Fewer flat tires for maximum uptime
- Exceptional treadwear
- Excellent stability and operator confidence
- Outstanding machine and payload protection

STABIL'X® XZM™



	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	5.00R8	—	111A5	10	30	24	86381	\$217.80
	6.00R9	—	121A5	12	31	25	50734	\$290.40
	6.50R10	—	128A5	14	34	27	54636	\$366.30
	7.00R12	—	136A5	16	35	28	71359	\$452.10
	7.00R15	—	143A5	14	37	29	85869	\$485.10
	7.50R15	—	146A5	16	38	30	62488	\$619.30
	8.25R15	—	153A5	18	42	33	56370	\$770.00
	225/75R15 (28X9R15)	—	149A5	16	34	27	55324	\$581.90
	250/70R15 (250-15)	—	153A5	18	35	28	50988	\$684.20
	315/70R15 (300-15)	—	165A5	18	44	35	85047	\$1,006.50
	355/65R15 (350-15)	—	175A5	20	44	35	45525	\$1,279.30

A Tubeless Bead Seal must be used with the STABIL'X® XZM™ to make it tubeless.

MICHELIN® INDUSTRIAL RADIALS

The rugged Michelin® industrial tire designed for high-load capacity material handling equipment.

- Improved productivity
- Outstanding machine and load protection
- Exceptional durability
- Lower operating cost*

STABIL'X® XZM™ 2

Forklifts




Container Handlers



Reach Stackers

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS NEW	1800R25	LE3	207A5	36/60	198	78	109703	\$5285.50

*Compared to the STABIL'X® XZM™



The long-lasting Michelin® radial tire designed to increase the productivity of reach stackers in difficult to extremely severe working conditions.

- Improved damage resistance
- Increased productivity
- Enhanced maneuverability in tight spaces


STABIL'X® X STACKER™

Reach Stackers



Container Handlers

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS NEW	1800R25	LE3	207A5	36/60	113	90	218613	\$5,789.50



The long-lasting Michelin® radial tire for straddle carriers designed to deliver even treadwear and low operating costs in demanding port and terminal.

- Outstanding durability
- Low operating costs
- Maximum productivity
- A stable comfortable ride

X-STRADDLE®


Dock Cranes

Aircraft Push-Back
Vehicles

Straddle Carriers

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	1600R25	LE3	200A5	36/60	122	50	91262	\$3,820.50
	1480/95R25	LE3	206A5	36/60	164	51	101015	\$4,275.70

MICHELIN® INDUSTRIAL RADIALS




The long-lasting Michelin® radial tire for terminal tractors designed to deliver even treadwear and low operating costs in demanding port and terminal conditions.

- Non-DOT rated (not for highway service "NHS")
- Exceptional treadwear
- All wheel position capability
- Outstanding machine and payload protection

X-TERMINAL T™

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
Terminal Tractors	280/75R22.5		168/88	16	39	431	33193	\$749.10

MICHELIN® SPECIAL APPLICATION RADIALS




The smooth Michelin® radial tire designed for compactors used in paving and asphalt applications.

- Excellent surface finish
- Reduced downtime
- Lower operating costs

X® LISSE COMPACTEUR

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
Compactors	7.50R15	C1	—	—	10	8	12568	\$404.80
	13/80R20	C1	—	—	15	12	06569	\$966.90



The Michelin® radial tire for utility transport and logging operations designed to deliver exceptional durability and cool running in high-speed applications.


- Excellent traction and adhesion in both on- and off-road applications
- Cooler operating temperatures
- Non-directional tread pattern

XMP™

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
Logging Trucks	14.00R25 (385/95R25)	E2	170E	—	30	24	31334	\$1,841.40
Mobile Cranes	14.00R24 (385/95R24)	E2	170E	—	30	24	32814	\$1,788.60

Transport Applications


MICHELIN® SPECIAL APPLICATION RADIALS



The Michelin® radial tire for logging operations and mobile cranes where excellent traction on snow and ice is required.

- Exceptional traction and maneuverability on ice and snow
- Minimal chain usage
- Reduced downtime

X SNOPLUS® 170E



Transport Applications

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	14.00R25	E2	170E	—	32	25	91978	\$1,950.30
TUBE TYPE	14.00R24	E2	170E	—	30	24	63977	\$1,893.10



The Michelin® radial tire with aggressive directional tread designed to deliver exceptional traction and performance for rough-terrain forklifts and excavators.

- Excellent traction and performance
- Versatility
- Durability

XF™



Rough-Terrain Forklifts

Wheeled Excavators

	SIZE	TRA CODE	ISO INDEX	STAR RATING/ PLY RATING	TD 32NDS	TD MM	MSPN	2006 GOV'T BASE PRICE
TUBELESS	18R19.5	L2	—	*	31	25	05876	\$1,634.60

EARTHMOVER TUBES & FLAPS

RIM DIAMETER	SIZE	AIRSTOP® TUBES				FLAPS		
		TUBE CODE	VALVE REFERENCE	MSPN	2006 GOV'T BASE PRICE	FLAP CODE	MSPN	2006 GOV'T BASE PRICE
15"	7.50R15	15/16 J	570	17542	*	15 x 6.00	62152	*
	8.25R15	15 K	1221	38850	*	15 x 6.00	62152	*
	10.00R15	15 P	582	04560	*	15 x 7.50	58753	*
20"	9.00R20	20 M	1157	25980	*	20 x 7.50	44274	*
	10.00R20	20 N	1158	17078	*	20 x 7.50	44274	*
	11.00R20	20 P	1158	06934	*	20 x 8.50	49781	*
	12.00R20	20 Q	1158	39144	*	20 x 8.50	49781	*
24"	12.00R24	24 Q	582	11708	*	24/25 x 8.50	48842	*
	13.00R24	24 TD	577	10168	\$70.40	13-24 DR	27344	\$31.90
	14.00R24							
	14.9R24							
24/25"	14.00R24	24/25 T	752	49015	\$92.40	13-24/25	15461	\$31.90
	15.00R24							
	13.00R25							
	14.00R25							
	14.00R24	24/25 TAM	1837 (TRJ650)	01072	\$92.40	13-24/25 S	15479	\$31.90
	15.00R24							
	14.00R25							
	17.5R25							
	16.00R24	24/25 V AM	1837 (TRJ650)	33216	\$177.10	14-24/25	49346	\$42.90
	16.00R25							
	20.5R25							
25"	15.5R25	25 S AM	1837 (TRJ650)	11562	\$158.40	15-24/25	15487	\$52.80
	395/80R25							
	18.00R25	25 W AM	1837 (TRJ650)	36098	\$242.00	16-24/25	15495	\$72.60
	23.5R25					18-24/25	15511	\$95.70
	21.00R25	25 YB AM	1837 (TRJ650)	09744	\$306.90	17-24/25	15503	\$75.90
	26.5R25					18-24/25	15511	\$95.70
	29.5R25					19-25	10364	\$110.00
33"	18.00R33	33 VF AM	1837 (TRJ650)	14774	\$240.90	16-33	15552	\$82.50
	33.5R33	33/35 YE AM		58257	\$419.10	20-33	15578	\$141.90
	33.25R35	33/35 YE AM	1837 (TRJ650)	58257	\$419.10	20-35	15594	\$149.60

Several tube/valve options may be offered for a given tire size. Consult Michelin® Earthmover & Industrial Tires Technical Data Book. Michelin AIRSTOP® tubes should be used in Michelin® radial tube type tires.

*See Tubes and Flaps for Commercial Truck Tires on Page 54.

EARTHTOWER O RINGS

RIM DIAMETER	O RING CODE	REF. NUMBER	MSPN	2006 GOV'T BASE PRICE
20"	Tyran - Gasket	R 1443	49411	\$5.50
21"	OR 6-6-21	R 1506	49460	\$5.50
24"	Iceru - Bead Seal	R 1237	23705	\$6.60
24/25"	Heupo	R 1438	15743	\$5.50
25"	Sulla	R 1437	15867	\$5.50
29"	Sulky	R 1439	15875	\$6.60
31"	Strix	R 1440	15859	\$8.80
35"	Stras	R 1441	15842	\$6.60
39"	Fuodi	R 1069	15727	\$6.60
45"	OR 9-8-45"	R 1580	26641	\$11.00
49"	Heyco	R 1442	15750	\$11.00
51"	OR 4-51"	R 1479	15883	\$12.50
57"	OR 4-57"	R 1481	49452	\$13.20
63"	63"	R 2053	98091	\$14.30

BIB TIGRE GREASE

Special Michelin® lubricant for proper installation of Michelin tires on rims and wheels.

MSPN 2006 GOV'T BASE PRICE

25817 \$15.22 (4 kg container)

INDUSTRIAL TUBES & FLAPS

RIM DIAMETER	SIZE/TYPE	AIRSTOP® TUBES				FLAPS		
		TUBE CODE	VALVE REFERENCE	MSPN	2006 GOV'T BASE PRICE	FLAP CODE	MSPN	2006 GOV'T BASE PRICE
8"	5.00R8 (5.70R8) XZM	8 CG	570	33788	\$14.30	83-8L	15546	\$6.60
	150/75R8 (16x6R8) XZM					83-8 LD	20470	\$6.60
	125/75R8 (15x4 1/2 R8) XZM	8 B	1003	12764		5-8	13186	\$6.60
	180/70R8 (18x7R8) XZM		570	04944	\$15.40	5-8	13186	\$6.60
9"	6.00R9 (6.90R9) XZM	9 F	570	30370	\$19.80	110-9 LD	12226	\$8.80
	200/75R9 (21x8R9) XZM					180-9	16806	\$8.80
10"	6.50R10 XZM	10 F	1012	30672	\$19.80	150-10 LD	35744	\$11.00
	225/75R10 (23x9R10) XZM					7-10	49247	\$11.00
12"	7.00sR12 XZM	12 H	578	13754	\$23.10	125-12LD	34244	\$11.00
	250/75R12 (27x10R12) XZM	12 KD	578	08398	\$29.70	9-12D	78397	\$13.20
15"	250/70R15 XZM	15/16 J	570	17542	*	8-15	15172	*
	7.00R15 XZM	15/16 F	570	23262	\$22.00	15x600	62152	*
	225/75R15 (28x9R15) XZM					8-15	15172	*
	8.25R15 XZM	15 K	1221	38850	*	15x600	62152	*
	7.50R15 XZM	15/16 J	1221	73993	*	15x600	62152	*
	315/70R15 (300R15) XZM	15 P	582	04560	*	8-15	15172	*
20"	9.00R20 XZM	20 M	1157	25980	*	20 x 7.50	44274	*
	10.00R20 XZM	20 N	1158	17078	*			*
	11.00R20 XZM	20 P	1158	06934	*	20 x 8.50	49781	*
	12.00R20 XZM	20 Q	1158	39144	*	20 x 8.50	49781	*
24"	12.00R24 XZM	24 Q	582	11708	*	24/25 x 8.50	48842	\$30.80
	14.00R24 XZM, X-STRADDLE	24/25 T	752	49015	\$92.40	13-24/25	15461	\$31.90
25"	16.00R25 XZM, X-STRADDLE	24/25 VAM	1837	33216	\$176.00	14-24/25	49346	\$42.90
	18.00R25 XZM	25 WAM				16-24/25	15495	\$72.60

Several tube/valve options may be offered for a given tire size. Consult Michelin® Earthmover & Industrial Tires Technical Data Book. Michelin AIRSTOP® tubes should be used in Michelin® radial tube type tires.

*See Tubes and Flaps for Commercial Truck Tires on Page 54.